


There Are Only Two Ways to Stop Allergies: Shots or Universal AllergiDrops

Topic	 AllergiDrops environmental	Shots
Method of Administration	Drops under the tongue	Shots in the arm
Insurance Coverage	Pending final FDA approval	Yes
Safety: Risk of Anaphylaxis	None. Recognized safety.	Yes (34 deaths recorded in 6 years)
Adverse Reactions	None. Rare allergic threshold crossover.	Multiple: Swelling, Itching, Hayfever, etc.
Number of Provider Visits	Once every 3 months	Bi-Weekly or Weekly
Allergy Testing Required	Yes, as needed	Yes, as needed
Insurance Coverage for Testing	Yes. Call insurance for specific benefits	Yes. Call insurance for specific benefits
When Not to be Used	No limitations. Wide range of patients qualify for AllergiDrops	Beta blockers, history of anaphylaxis, young children, infants, severe asthmatics
Duration of Treatment	2 to 5 years	3 to 7 plus years
Treatment Frequency	Daily Drops (3-month dosing)	Bi-Weekly (1–3 Months) then Weekly for up to 7 years
Treatment Location	At Home, at Patient Convenience	Physician office
Compliance	90% of SLIT users after 1 year	50% of shot users after 1 year



Available exclusively at

